## *Division of areas in accordance with the DIN 277 standard, adapted for use by the European Institutions*

											6	
						CATEGORIES	SUB- CATEGORIES	Name	OA	FA	SpA	ТА
GA	ΟΑ	GFA	NFA	UA		UA1 Living, social and catering areas	1.1	Living areas	OA	FA	SpA	ТА
							1.2	Community premises	OA	FA	SpA	TA
							1.3	Relaxation rooms Waiting rooms	OA OA	FA FA	SpA SpA	TA TA
							1.5	Catering premises, canteens	OA OA	FA FA	SpA	TA
							1.6	Detention rooms		FA	SpA	
						UA2 Office work	2.1	Offices Open-plan offices / Collaborative spaces	OA OA		SpA SpA	TA TA
							2.3	Meeting rooms	OA	FA	SpA	TA
					USABLE AREAS (1 to 6)		2.4	Design rooms Ticket halls	OA OA	FA FA	SpA SpA	TA TA
							2.6	Command/control, dispatching, production rooms	OA	FA	SpA	TA
							2.7	Surveillance rooms Office automation/photocopier rooms	OA OA	FA FA	SpA SpA	TA TA
							2.1					
							3.1 3.2	Manufacturing halls Workshops	OA OA	FA FA	SpA SpA	
			NFA - NET FLOOR AREA	(1 to 7)			3.3 3.4	Technology laboratories Physics laboratories, etc.	OA OA	FA FA	SpA SpA	
						UA3 Production, manual and mechanised work, research	3.5	Chemistry laboratories, etc.	OA	FA	SpA	
I							3.6	Breeding facilities Growth-rooms, greenhouses	OA OA	FA FA	SpA SpA	
							3.8	Kitchens		FA	SpA	
		GFA - GROSS FLOOR AREA					3.9	Special production areas (housework areas, laundry rooms, etc.)		FA	SpA	
				teas (	MAINU	UA4 Storage, distribution and sale	4.1	Storage rooms Archive rooms	OA OA	FA FA	SpA SpA	
				- TOTAL USABLE AREAS (1 to 7)	UA - I		4.3	Refrigeration rooms		FA	SpA	
							4.4	Reception and dispatch premises Sales premises	OA OA	FA FA	SpA SpA	
				TOTAL			4.6	Exhibition premises (commercial)	OA	FA	SpA	
				UA - T			4.7	Waste disposal site Heritage premises – works of art	OA	FA FA	SpA SpA	
							4.9	Other storage areas	OA	FA	SpA	
						UA5 Conferences, training and culture	5.1	Teaching rooms, auditoriums, lecture halls	OA	FA	SpA	ТА
	EA						5.2	General teaching rooms, classrooms, seminar rooms Specialised teaching rooms, laboratories, workshops, arts premises	OA OA	FA FA	SpA SpA	TA TA
							5.4	Libraries	OA	FA	SpA	ТА
[4)							5.5	Sports and leisure premises Conference rooms (including interpreting booths)	OA OA	FA FA	SpA SpA	TA TA
L to 1							5.7	Theatres and studios	OA	FA	SpA	TA
GA - GROUND AREA (CADASTRAL) (1 to 14)	T AREA						5.8	Museums, exhibition rooms (cultural) Places of worship	OA OA	FA FA	SpA SpA	TA TA
	BA - BUILT						6.1	Medical premises (consultation, etc.)	OA	FA	SpA	
						UA6 Medical services	6.2	Premises with specialist equipment (dialysis, X-ray, laboratory, etc.)	OA	FA	SpA	
							6.9	Other healthcare premises	OA	FA	SpA	
						UA7 Secondary usable area	7.1	Sanitary facilities Cloakroom facilities	OA	FA FA	SpA SpA	TA TA
Z							7.3	Storage areas and rooms		FA	SpA	ТА
5							7.4	Vehicle parking (indoor) Areas for travellers	OA	FA FA	SpA SpA	TA TA
- GROU							7.6			FA	SpA SpA	TA TA
GA - GROU							7 7	Technical control rooms	OA OA	ΕΛ	эрд	TA
GA - GROU	l			UA			7.7	Civil protection premises Other premises	OA OA OA	FA FA	SpA	
GA - GROU				UA				Civil protection premises	OA		SpA	
GA - GROU				UA			7.9 8.1 8.2	Civil protection premises Other premises Water supply Heating	OA	FA FA FA	SpA	
GA - GROU				UA			7.9 8.1	Civil protection premises Other premises Water supply	OA	FA FA	SpA	
GA - GROU				UA	TA8 -	Technical area	7.9 8.1 8.2 8.3 8.4 8.5	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment	OA	FA FA FA FA FA FA	SpA	
GA - GROU				UA	TA8 -	Technical area	7.9 8.1 8.2 8.3 8.4 8.5 8.6 8.6 8.7	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup>	OA	FA FA FA FA FA FA FA FA	SpA	
GA - GROU				UA	TA8 -	• Technical area	7.9 8.1 8.2 8.3 8.4 8.5 8.6	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations	OA	FA FA FA FA FA FA FA	SpA	
GA - GROU				UA	TA8 -	Technical area	7.9 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.8 8.9 8.10	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection	OA	FA FA FA FA FA FA FA FA FA FA FA	SpA	
GA - GROU				UA	TA8 -	Technical area	7.9 8.1 8.2 8.3 8.4 8.5 8.6 8.6 8.7 8.8 8.9	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations	OA	FA FA FA FA FA FA FA FA FA FA	SpA	
GA - GROU				UA			7.9 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.8 8.9 8.10	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection	OA	FA FA FA FA FA FA FA FA FA FA FA	SpA	
GA - GROU				UA		· Technical area	7.9           8.1           8.2           8.3           8.4           8.5           8.6           8.7           8.8           8.9           8.10           8.11           9.1           9.2           9.3	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators Transport installation shafts (lift shafts, etc.)	OA	FAFAFAFAFAFAFAFAFAFAFAFAFAFAFAFA	SpA	
GA - GROU				UA			7.9           8.1           8.2           8.3           8.4           8.5           8.6           8.7           8.8           8.9           8.10           8.11           9.1           9.2	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators	OA	FAFAFAFAFAFAFAFAFAFAFAFA	SpA	
GA - GROU			NFA	UA	СА9 -		7.9           8.1           8.2           8.3           8.4           8.5           8.6           8.7           8.8           8.9           8.10           8.11           9.1           9.2           9.3	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators Transport installation shafts (lift shafts, etc.) Internal areas for vehicles (ramps, traffic lane)	OA	FAFAFAFAFAFAFAFAFAFAFAFAFAFAFAFA	SpA	
GA - GROU			NFA	UA	СА9 -	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators Transport installation shafts (lift shafts, etc.) Internal areas for vehicles (ramps, traffic lane) Spaces not fully used Indoor green spaces	OA	FA	SpA	
GA - GROU			NFA	UA	СА9 -	Circulation area	7.9           8.1           8.2           8.3           8.4           8.5           8.6           8.7           8.8           8.9           8.10           8.11           9.1           9.2           9.3           9.4	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators Transport installation shafts (lift shafts, etc.) Internal areas for vehicles (ramps, traffic lane)	OA	FA	SpA	
GA - GROU			NFA	UA	CA9 - RA10	Circulation area - Residual area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m <sup>2</sup> Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m <sup>2</sup>	OA	FA	SpA	
GA - GROU			NFA	UA	CA9 - RA10	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2	Civil protection premises Other premises Water supply Heating Ventilation/cooling installations, smoke extraction Power supply Communications equipment Lifts and transport installations Shafts > 1 m <sup>2</sup> Gas supply (except heating) Other technical installations Remote management, detection and protection Waste water collection and disposal Corridors/halls/atriums, security access doors, delivery bay Stairs/escalators Transport installation shafts (lift shafts, etc.) Internal areas for vehicles (ramps, traffic lane) Spaces not fully used Indoor green spaces Walls Façades with cladding	OA	FA	SpA	
GA - GROU		GFA	NFA	UA	CA9 - RA10	Circulation area - Residual area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m <sup>2</sup> Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m <sup>2</sup> Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m <sup>2</sup>	OA	FA	SpA	
GA - GROU		GFA	NFA		CA9 - RA10	Circulation area - Residual area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m <sup>2</sup> Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m <sup>2</sup> Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m <sup>2</sup> Alcoves, cantilevers and decorative features of façades ≤ 0.5 m <sup>2</sup>	OA	FA	SpA	
GA - GROU		GFA	NFA		CA9 - RA10	Circulation area	7.9           8.1           8.2           8.3           8.4           8.5           8.6           8.7           8.8           8.9           8.10           8.11           9.1           9.2           9.3           9.4           10.1           10.2           11.1           11.2           11.3           11.4           11.5           11.6	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m <sup>2</sup> Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m <sup>2</sup> Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m <sup>2</sup>	OA	FA           FA	SpA	
GA - GROU	A	GFA	NFA		CA9 - RA10 CA11 - Cons	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m <sup>2</sup> Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m <sup>2</sup> Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m <sup>2</sup> Alcoves, cantilevers and decorative features of façades ≤ 0.5 m <sup>2</sup>	OA	FA	SpA	
GA - GROU	_	GFA		EFA1	CA9 - RA10 CA11 - Cons 2 - External f	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7         12.1         12.2	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m²         Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m²         Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m²         Alcoves, cantilevers and decorative features of façades ≤ 0.5 m²         Roofing         Terraces	OA	FA	SpA	
GA - GROU	_	GFA		EFA1	CA9 - RA10 CA11 - Cons 2 - External f	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7         12.1         12.2         12.3	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m²         Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m²         Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m²         Alcoves, cantilevers and decorative features of façades ≤ 0.5 m²         Roofing         Terraces         Walkways used for maintenance	OA	FA	SpA	
GA - GROU	_	GFA		EFA1 UAA13 -	CA9 - RA10 CA11 - Cons 2 - External f	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7         12.1         12.2         12.3         13.1	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m²         Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m²         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m²         Alcoves, cantilevers and decorative features of façades ≤ 0.5 m²         Roofing         Terraces         Walkways used for maintenance         Undeveloped access         Outdoor vehicle parking         Outdoor green spaces/patios	OA	FA	SpA	
GA - GROU	AA - ACCESS AREAS Q (13 and 14)	GFA		EFA1 UAA13 -	CA9 - RA10 CA11 - Cons 2 - External f	Circulation area	7.9         8.1         8.2         8.3         8.4         8.5         8.6         8.7         8.8         8.9         8.10         8.11         9.1         9.2         9.3         9.4         10.1         10.2         11.1         11.2         11.3         11.4         11.5         11.6         11.7         12.1         12.3         13.1	Civil protection premises         Other premises         Water supply         Heating         Ventilation/cooling installations, smoke extraction         Power supply         Communications equipment         Lifts and transport installations         Shafts > 1 m²         Gas supply (except heating)         Other technical installations         Remote management, detection and protection         Waste water collection and disposal         Corridors/halls/atriums, security access doors, delivery bay         Stairs/escalators         Transport installation shafts (lift shafts, etc.)         Internal areas for vehicles (ramps, traffic lane)         Spaces not fully used         Indoor green spaces         Walls         Façades with cladding         Pillars ≤ 0.1 m²         Chimneys         Cut-outs and recesses in the sections delimiting the building         Shafts ≤ 1 m²         Alcoves, cantilevers and decorative features of façades ≤ 0.5 m²         Roofing         Terraces         Walkways used for maintenance         Undeveloped access	OA	FA	SpA	

Annex to the Measurement Code (version 1, 29.11.2019)

Annexe\_01\_Division of area\_EN