



User Manual for the Reference Implementation Software Service Providers Web-based Interface connected to the Decentralised IT System

Date:	21 May 2026
Version:	1.0
Authors:	JUST H4
Public:	Member State authorities, relevant EU JHA agencies and bodies, DG JUST staff, Service Providers and their legal representatives and designated establishments

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

Document History

Date	Version	Updated Sections	Description
23/01/2026	0.01	All	First version of the document, available in 4.0.0 RI release.
21/05/2026	1.0	All	Version of the User Manual, released alongside version 4.1.0 of the RI, incorporates the following updates: • Revised screenshots to reflect the latest eUI interface. • Removal of the obsolete '<i>Maintain</i>' message. • Minor editorial refinements for clarity and consistency. • New sections covering key functionalities and workflows: ◦ Choosing recipients of Form 3, ◦ Deadline execution in EPOC.

Table of Contents

TABLE OF CONTENTS	4
LIST OF FIGURES.....	8
LIST OF TABLES.....	14
1 INTRODUCTION	15
1.1 OBJECTIVE OF THE DOCUMENT.....	15
1.2 INTENDED AUDIENCE.....	16
1.3 APPLICABLE DOCUMENTS.....	16
1.4 REFERENCED DOCUMENTS	17
1.5 DOCUMENTS CONVENTIONS.....	17
2 GETTING STARTED	18
2.1 USER MANUAL DESIGN.....	18
2.2 ACCESSING THE PORTAL	18
2.3 USER ROLES	20
3 COMMON LAYOUT AND NAVIGATION	21
3.1 THE HEADER	21
3.1.1 <i>Select desired language of JUDEX RI.....</i>	<i>21</i>
3.1.2 <i>User's Profile</i>	<i>22</i>
3.1.3 <i>Switching authority.....</i>	<i>23</i>
3.1.4 <i>Logout/Exit the Portal</i>	<i>24</i>
3.2 THE TOP BAR.....	24
3.2.1 <i>Display support information.....</i>	<i>25</i>
3.2.2 <i>Notification bell</i>	<i>25</i>
3.2.3 <i>Automatic translation</i>	<i>29</i>
3.3 THE LEFT-HAND MENU	31

3.3.1	<i>Hide/unhide left menu</i>	31
3.3.2	<i>Dashboard</i>	32
3.3.3	<i>Cases</i>	32
3.3.4	<i>Downloads</i>	33
4	SEARCH FOR A CASE	34
4.1	VIEW CLOSED CASES	36
4.2	CLEAR ALL FILTERS	37
5	VIEW A CASE	38
6	ICONS OF MESSAGES	39
6.1	EPOC MESSAGE ICONS	39
6.2	EPOC-PR MESSAGE ICONS	39
7	CASE OWNERSHIP	41
8	EUROPEAN PRODUCTION ORDER CERTIFICATE (EPOC)	42
8.1	INTRODUCTION	42
8.1.1	<i>Overview</i>	42
8.1.2	<i>High Level End to End Process</i>	42
8.1.3	<i>Roles and responsibilities</i>	43
8.2	EXECUTE EPOC	43
8.2.1	<i>Submit Form 3</i>	44
8.2.2	<i>Terminate a process upon withdrawal of the request</i>	60
8.2.3	<i>Provide the requested data</i>	61
8.3	DEADLINES EXECUTION IN EPOC	63
8.3.1	<i>Viewing deadline information in the Dashboard tab</i>	63
8.3.2	<i>Viewing deadline information in the Received Requests tab</i>	64
8.3.3	<i>Viewing deadline information on case level via Overview tab</i>	65
8.4	IMPORT/EXPORT WEBSERVICES	65

9	EUROPEAN PRESERVATION ORDER CERTIFICATE (EPOC-PR)	66
9.1	INTRODUCTION	66
9.1.1	Overview	66
9.1.2	High Level End to End Process	66
9.1.3	Roles and responsibilities	67
9.2	EXECUTE EPOC-PR	67
9.2.1	Submit Form 3	67
9.2.2	Terminate a process upon withdrawal of the request	67
9.3	EPOC-PR DEADLINES EXECUTION	67
10	BASIC FUNCTIONALITIES	68
10.1	COMMUNICATION BETWEEN ACTORS	68
10.1.1	View incoming message	68
10.1.2	Send a request for additional information	70
10.1.3	Reply to a request for additional information	71
10.1.4	Send other information	73
10.1.5	Reply to "Send other information" message	75
10.1.6	Signing (optionally) additional messages	77
10.2	TECHNICAL EVIDENCE	78
10.3	DOWNLOAD THE COMPLETE CASE	80
10.3.1	Deleting files from DOWNLOADS	82
10.4	INTERNAL COMMENTS	82
10.5	WORKFLOW MENU	84
10.6	CLOSE CASE	84
10.6.1	Re-open closed case	85
10.7	DOWNLOAD PDF AND PRINT	86

10.8	ATTACHING FILES TO A FORM	87
10.9	MANDATORY FIELDS	88
10.10	VIRUS CHECKING	88
10.11	SAVE A DRAFT.....	89
10.12	ERROR, WARNING, AND SUCCESS MESSAGES	91
10.13	DELETE A CASE	91
10.13.1	<i>Delete sensitive content.....</i>	92
10.14	CASES AND TABS CONTENT	94
10.14.1	<i>Overview tab.....</i>	94
10.14.2	<i>Event & Message Timeline</i>	98
10.15	ASSIGNING USERS TO A CASE.....	99
10.15.1	<i>Display roles.....</i>	99
10.15.2	<i>Assign users to a received case.....</i>	100
10.15.3	<i>Assign users pop-up from the Overview tab:</i>	103
10.16	REVOKING ACCESS TO A CASE.....	103
10.16.1	<i>Revoking access</i>	104
10.16.2	<i>Revoking access to the case from the Overview tab.....</i>	106
10.17	TRANSLATE.....	107
11	JUDEX PORTAL SUPPORT	108

List of Figures

Figure 1-1: Home Page of the JUDEX RI without having roles assigned to the user	16
Figure 2-1: Login authentication screen	19
Figure 3-1: Common Layout and Navigation.....	21
Figure 3-2: Language switch icon	21
Figure 3-3: Select language.....	22
Figure 3-4: User's profile.....	22
Figure 3-5: User details	23
Figure 3-6: Switch authority selection.....	23
Figure 3-7: Select authority screen	24
Figure 3-8: Logout/Exit the portal.....	24
Figure 3-9: Support information.....	25
Figure 3-10: Contact Support	25
Figure 3-11: Notification bell	26
Figure 3-12: Notifications	27
Figure 3-13: Notification settings.....	28
Figure 3-14: Adding e-mail address: example.....	29
Figure 3-15: Automatic translation.....	29
Figure 3-16: Automatic translation pop-up window.....	30
Figure 3-17: Visible left menu	31
Figure 3-18: Hidden left menu	31
Figure 3-19: Dashboard.....	32
Figure 3-20: Received requests	33
Figure 3-21: Deadlines tab	33
Figure 4-1: Search for a case	34

Figure 4-2: “Search filters” button	35
Figure 4-3: Search criteria fields	35
Figure 4-4: Searching for closed cases	36
Figure 4-5: Applying filters to search for closed cases	36
Figure 4-6: “Clear all filters” button.....	37
Figure 5-1: Viewing case details	38
Figure 5-2: Viewing case details: Overview tab.....	38
Figure 6-1: EPOC Message Icons	39
Figure 6-2: EPOC-PR Message Icons	40
Figure 8-1: Creating Form 3	44
Figure 8-2: Form 3 tab displayed	45
Figure 8-3: Form 3: Choose recipient(s)	46
Figure 8-4: Form 3: Choose recipients pop-up.....	46
Figure 8-5: Form 3: Another Authority selection in Form 3	47
Figure 8-6: Form 3: Search for enforcing authority	47
Figure 8-7: Form 3: Save recipients data.....	48
Figure 8-8: Form 3 validation.....	49
Figure 8-9: Form 3 mandatory fields.....	50
Figure 8-10: Form 3: Complete	51
Figure 8-11: Form 3: Accept review	51
Figure 8-12: Form 3 signing.....	52
Figure 8-13: Placeholder	53
Figure 8-14: Form 3 download.....	53
Figure 8-15: Opening Form 3 in a PDF form	54
Figure 8-16: Signing Form 3 in a PDF: “All tools” tab.....	54

Figure 8-17: Signing Form 3 in a PDF: “Digitally sign” button.....	55
Figure 8-18: Signing Form 3 in a PDF: Choosing appropriate area	55
Figure 8-19: Signing Form 3 in a PDF: Entering your PIN number.....	56
Figure 8-20: Uploading Signed Form 3.....	56
Figure 8-21: Browsing for signed Form 3	57
Figure 8-22: Submitting Form 3	57
Figure 8-23: Error message during the wrong PDF upload.....	58
Figure 8-24: Sending Form 3	59
Figure 8-25: Form 3 Sent	59
Figure 8-26: Confirm withdrawal.....	60
Figure 8-27: Confirmation of withdrawal pop-up	61
Figure 8-28: Create Outcome: Workflow menu.....	62
Figure 8-29: Creating outcome.....	62
Figure 8-30: Deleting data: Outcome tab	63
Figure 8-31: Viewing deadline information in the Dashboard tab	64
Figure 8-32: Viewing deadline information in the Received Requests tab	64
Figure 8-33: Viewing deadline information on case level via Overview tab	65
Figure 10-1: Form 6 tab: Overview.....	68
Figure 10-2: Grounds for Refusal: Overview	69
Figure 10-3: Other messages and attachments received from a Competent Authority.....	69
Figure 10-4: Selecting a “Request for additional information” button.....	70
Figure 10-5: Steps to send a request for additional information.....	70
Figure 10-6: Viewing a draft request for additional information	71
Figure 10-7: Sending a request for additional information.....	71
Figure 10-8: Reply to request for additional information: Clicking” Reply” button	72

Figure 10-9: “Reply to request for additional information” pop-up window	72
Figure 10-10: Reply to request for additional information: Editing a draft.....	72
Figure 10-11: Replying to a request for additional information	73
Figure 10-12: Send other information: Workflow menu	73
Figure 10-13: Send other information: Fields to fill-in	74
Figure 10-14: Send other information: Editing a draft message	74
Figure 10-15: Sending other information	75
Figure 10-16: Reply to “Send other information” button	75
Figure 10-17: Reply to “Send other information” message pop-up window.....	76
Figure 10-18: Reply to “Send other information” message: Editing a draft message	76
Figure 10-19: Sending a reply to “Send other information” message	77
Figure 10-20: Signing (optionally) additional messages	78
Figure 10-21: Technical Evidence.....	79
Figure 10-22: Download technical evidence: Timeline view	80
Figure 10-23: Download technical evidence	80
Figure 10-24: "Download" button	81
Figure 10-25: Downloading a ZIP file	81
Figure 10-26: Download confirmation	81
Figure 10-27: “Downloads” section	82
Figure 10-28: Deleting files from “Downloads” section	82
Figure 10-29: "Comment" button	83
Figure 10-30: Adding internal comments.....	83
Figure 10-31: Comments displayed in the “Event and Message Timeline”	83
Figure 10-32: Workflow menu	84
Figure 10-33: Closing a case: Workflow menu	84

Figure 10-34: Close a case pop-up warning	85
Figure 10-35: Reopening a case: Workflow menu	86
Figure 10-36: Form 1 “Get PDF / Print”	86
Figure 10-37: Attaching files.....	87
Figure 10-38: Browsing the files	87
Figure 10-39: Added attachments.....	88
Figure 10-40: Mandatory fields.....	88
Figure 10-41: Virus checking.....	89
Figure 10-42: Successful virus scan icon	89
Figure 10-43: Virus checking: Receiving authority’s side	89
Figure 10-44: Saving a draft.....	90
Figure 10-45: Unsaved data notification	90
Figure 10-46: Success message	91
Figure 10-47: Warning message.....	91
Figure 10-48: Error message	91
Figure 10-49: "Delete Case" button.....	92
Figure 10-50: Deleting a case.....	92
Figure 10-51: “Delete all sensitive content” button.....	93
Figure 10-52: Delete all sensitive content” button: Confirmation of the operation.....	93
Figure 10-53: Confirmation of sensitive data deletion	93
Figure 10-54: Cases and tabs content	94
Figure 10-55: Creating a link to another case.....	96
Figure 10-56: Add case link: Typing reference number or the subject	96
Figure 10-57: Add case link: Selecting the reference number.....	97
Figure 10-58: Add case link: Saving the selected link	97

Figure 10-59: Linked cases displayed	97
Figure 10-60: Removing linked references	98
Figure 10-61: Event & Message Timeline: Overview.....	98
Figure 10-62: Event and Message Timeline: Confirmation that a sent message has successfully reached its destination	99
Figure 10-63: Assigning users to a case: “Display Roles” button	99
Figure 10-64: Assigning users to a case: “Hide Roles” button.....	100
Figure 10-65: Assign users to a received case.....	101
Figure 10-66: “Assign users to the case” pop-up window.....	101
Figure 10-67: Assigning selected user to the case	102
Figure 10-68: Assign users to the case: Names of newly added users displayed	102
Figure 10-69: Assign users pop-up from the Overview tab.....	103
Figure 10-70: Revoking access to a case: Overview tab	104
Figure 10-71: Revoking access to a case	104
Figure 10-72: Revoking access to a case: Warning message	105
Figure 10-73: Revoking access to a case: Assigned users section.....	105
Figure 10-74: Revoking access to the case from the Overview tab.....	106
Figure 10-75: Revoking access to the case from the Overview tab: Notification	106
Figure 10-76: Revoking access to the case from the Overview tab: Assigned users section	107

List of Tables

Table 1: Applicable documents	17
-------------------------------------	----

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

1 Introduction

1.1 Objective of the document

This manual provides comprehensive information on how to use the Justice Digital Exchange System (JUDEX), specifically the Reference Implementation Software (RI) for Service Providers' web-based interface, within the framework of:

- Regulation (EU) 2023/1543 of the European Parliament and of the Council of 12 July 2023 on European Production Orders and European Preservation Orders for electronic evidence in criminal proceedings and for the execution of custodial sentences following criminal proceedings [AD1], and on
- Directive (EU) 2023/1544 of the European Parliament and of the Council of 12 July 2023 laying down harmonised rules on the designation of designated establishments and the appointment of legal representatives for the purpose of gathering electronic evidence in criminal proceedings [AD2].

This document specifically describes the functionalities of the JUDEX, enabling the management and exchange of requests associated with the following certificates:

- European Production Order Certificates (EPOC)
- European Preservation Order Certificates (EPOC-PR)

Herein, “the Justice Digital Exchange System” will be referred to as “JUDEX”.

By using JUDEX RI, authorized users, assigned to appropriate roles, can fill in the available forms and communicate with the competent authorities in other Member States in response to the received EPOC/ EPOC-PR. Users without appropriate roles do not have access to the application and received cases.

This document is specifically intended to describe the functionalities and usage of the Reference Implementation Software for the Service Providers Web-based Interface connected to the Decentralised IT System. The module designed for Member States will be thoroughly detailed in a separate document.




Figure 1-1: Home Page of the JUDEX RI without having roles assigned to the user

1.2 Intended Audience

The intended audience of this document is composed of the following stakeholders:

- DG JUST technical and business staff,
- The Member States' technical and business staff adopting/using the RI,
- Representatives of Service Providers, including their designated establishments and/or legal representatives.

1.3 Applicable Documents

ID	Document Title	Reference
[AD1]	Regulation (EU) 2023/1543 of the European Parliament and of the Council of 12 July 2023 on European Production Orders and European Preservation Orders for electronic evidence in criminal proceedings and for the execution of custodial sentences following criminal proceedings.	Regulation (EU) 2023/1543
[AD2]	Directive (EU) 2023/1544 of the European Parliament and of the Council of 12 July 2023 laying down harmonised rules on the designation of designated establishments and the appointment of legal representatives for the purpose of gathering electronic evidence in criminal proceedings.	Directive (EU) 2023/1544

Table 1: Applicable documents

1.4 Referenced documents

ID	Title
[RD 01]	Public REST APIs Document
[RD 02]	Installation and Administration Guide

Table 1: Referenced documents

1.5 Documents conventions

Referenced documents are shown in brackets [].

2 Getting started

2.1 User Manual Design

JUDEX RI has been designed to provide an intuitive and user-friendly experience, minimizing the risk of errors and ensuring a consistent look. To achieve this, the portal's interface is dynamically updated based on the user's role and the context in which they are working.

- **Active Functions:** When a function is available, the corresponding button is visible and clickable, allowing users to perform the desired action.
- **Permissible Actions:** Buttons are enabled only when the corresponding action is permissible, preventing users from attempting to perform unauthorized actions.
- **Inactive Functions:** When a function is inactive, the corresponding button is disabled, clearly indicating that the action is not available.

2.2 Accessing the Portal

JUDEX RI can be accessed only by authorised and authenticated users. There is no public access page. **All information related to accessing JUDEX RI will be provided by the enforcing State' technical team, where the service provider is established or has a legal representative appointed.**

Follow the steps described below to access JUDEX RI:

- ① Enter the address of JUDEX in your web browser.
- ② You will be redirected to the login page:




Figure 2-1: Login authentication screen

- ③ Sign in with your credentials.
- ④ If you belong to only one service provider's instance, you will be automatically redirected to it.
- ⑤ If you are assigned to more than one instance, you will be redirected to the "Select Authority" page, where you can choose the instance you want to log into.

NOTE: There is an option to remember the choice so that the system automatically redirects you to the selected instance after entering your credential set. You can change this setting any time. After selecting "Remember my choice in this browser", this screen will not appear again until you clear cookies in your browser.

Exceptions

- **Access to the JUDEX RI is denied** - an error occurred during the connection to the JUDEX RI in the following cases:
 - You have no access to the domain(s) and sub-domain(s) of JUDEX RI;
 - You have no right to access the page of JUDEX RI you wanted to access.
- **Error message** - if the provided login and password are not correct, an error is raised. In that case, a message is displayed explaining that the authentication failed.

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

2.3 User roles

JUDEX RI supports role-based access control in order to ensure that access to online data and to the features of the system is limited only to user roles that have been previously granted such access rights. The set of access rights of a given user consists of all the combined access rights of all the roles granted to the respective user.

For Service Provider's module of the RI, the Supervisor role has been proposed and implemented. The description of this role and its permissions related to EPOC and EPOC-PR is specified in chapter 8.1.3.

3 Common Layout and Navigation

Following successful log in to JUDEX RI, you can see the content of the portal, and its persistent navigational elements:

- ① The header
- ② The top bar
- ③ The left-hand menu



Figure 3-1: Common Layout and Navigation

3.1 The header

In the header, in addition to the Commission logo and the site name, you will find the following interactive elements:

- A language switch.
- A user profile menu.

3.1.1 Select desired language of JUDEX RI

- ① Click **the language switch**, located in the top right corner of the header:




Figure 3-2: Language switch icon

- ② Select the language from a pop-up window:



Figure 3-3: Select language

The language of the portal will switch to your selected language.

NOTE: Due to some languages not being delivered yet, this may cause errors in the portal.

3.1.2 User's Profile

In the top right corner, you can find information about the logged in user.

① Click **the profile picture** to display additional buttons:




Figure 3-4: User's profile

- See my profile
- Switch authority
- Logout

② When selecting “**See my profile**”, one will see the "User details" pop-up window displaying the name of the entity which the user belongs to, and the roles they have been assigned to, as shown in the picture below.




Figure 3-5: User details

3.1.3 Switching authority

In order to change the entity, the user is currently logged into:




Figure 3-6: Switch authority selection

③ Click “**Switch authority**” from a User’s profile dropdown menu. Then the system displays “Select Authority” page.

Figure 3-7: Select authority screen

- ④ Select appropriate entity.
- ⑤ Click **Select**.

When the process succeeds, you will be transferred to the selected entity.

NOTE: If you select “Remember choice in this browser, you will be automatically redirected to the entity you are selecting now, every time you log in. If you want to restore the entity selection page during login, please clear your cookies in your browser, or select entity you want to log in to automatically each time from this position.

3.1.4 Logout/Exit the Portal



Figure 3-8: Logout/Exit the portal

If you want to exit the JUDEX RI, the most secure way is to log out from your account:

- ① Click your profile picture in the top bar:
- ② Click **Logout** from a dropdown menu.

When the logout process succeeds, you will experience a successful logout and application closure.

3.2 The top bar

In the top bar, you can find additional actionable functionalities:

- Support information
- Notification bell

- Automatic translation

3.2.1 *Display support information*

- ① Click the **question mark** icon located on the right side of the top bar.




Figure 3-9: Support information

The information box about how to contact the support from the enforcing Member State will be displayed. Click anywhere outside the information box to close the information.

Contact Support

For usage issues with the JUDEX portal please contact the Local Service Desk.

Please include all relevant information such as: your contact details, problem description, name of your internet browser, received error messages, screen shots and any other relevant information.

The Service Desk should be contacted via email:

just-e-evidence-support-team@ec.europa.eu

Figure 3-10: Contact Support

3.2.2 *Notification bell*

- ① Click the **Notification bell** icon located on the right side of the top bar.

This icon also features a red circle with a number relating to the number of notifications available.




Figure 3-11: Notification bell

When the Bell is selected, all open actions and unread messages are listed.

If one of the notifications is selected by the mouse pointer (i.e., action “read”), the number will decrease by one and the user will be redirected to that case which the selected notification refers to.




Figure 3-12: Notifications

② Alternatively, all notifications can be cleared by selecting “Clear notifications”.

Users are also able to choose the type of notifications they want to receive.

③ Select settings icon.

The following pop-up window should appear:

Notifications

Close >

Group	☒ All	☒ Bell	☒ Email
Case assign	☒	☒	☒
Message sending error	☒	☒	☒
eTranslation ready	☒	☒	☒
Form 1 received	☒	☒	☒
Form 2 received	☒	☒	☒
Other legal notifications received	☒	☒	☒

 Apply changes

Figure 3-13: Notification settings

From this perspective, the user can check/uncheck all the types of notifications listed in the picture above that he/she wants to receive.

3.2.2.1 E-mail notification

In order for a given user to receive the e-mail notification, two conditions must be met.

1. The given user's e-mail address must be configured in an identity provider software used by the enforcing member State:




Figure 3-14: Adding e-mail address: example

2. Make sure that the e-mail checkboxes in the notification's settings in the portal are selected.

3.2.3 Automatic translation

① Click the **Automatic translation** icon located on the right side of the top bar. This feature allows to translate input text into an official EU target language. For example, this text could be from our national language into the language of the authority we are working with, or vice versa. This is very handy if one would like to send a message in another language or if one has received a message in a language; one does not understand. Although the translation may not be perfect, the gist of the message should be clear.




Figure 3-15: Automatic translation

Translation

×

Select source language *

Deutsch (de) ▾

Select target language *

dansk (da) ▾

Source *

User Manual

Translation *

Brugervejledning

Translate

Figure 3-16: Automatic translation pop-up window

3.3 The left-hand menu

In the navigation menu you can find links to the main sections of the portal:

3.3.1 *Hide/unhide left menu*

Get more space for the content of the page by hiding the menu:




Figure 3-17: Visible left menu

① Click an icon located on the left side of the top bar. The menu will collapse.




Figure 3-18: Hidden left menu

② If you want to unhide the full menu again, click the same icon again.

3.3.2 Dashboard

This view appears right after logging in.

- ① On this page, the user will find a list of last edited cases.
- ② Additionally, all users will see "My tasks" table on the right side of the screen, where they can see the cases to which they are assigned.



Figure 3-19: Dashboard

3.3.3 Cases

Cases in JUDEX RI are categorized based on their status and stage of advancement. The visibility of these categories varies depending on the user's role and module.

- **Service Provider's Module:** Only the "Received Requests" tab is available, as service providers respond to requests but do not initiate them.
- **Competent Authorities' Module:** A more comprehensive view of case categories is available, reflecting their responsibility for issuing and managing requests.

In the Service Provider's module of the RI, the "Received requests" tab, the user with Supervisor role sees all cases that are in the Received status. When a case is received by service provider, it is visible on a list of RECEIVED REQUESTS. To display the list:




Figure 3-20: Received requests

① Click **Received requests** in the left menu.




Figure 3-21: Deadlines tab

② You can also find deadlines list for all received cases in “Deadlines” tab.

3.3.4 Downloads

This section contains files that have been downloaded by users using the Download button in the specific case view. To see more details please check section: 10.3

4 Search for a case




Figure 4-1: Search for a case

- ① Open a list of received case requests in the menu.
- ② Enter full or partial **title** or **reference number** or **National Case number** of the case you are searching for.
- ③ Select the type of a case you are searching for.
- ④ Click **Search**.
- ⑤ Matching search results from: Title or Reference Number will be returned.




Figure 4-2: “Search filters” button

Optionally, you can filter the list of received requests by applying filters:

⑥ Click **Show search filters** to expand the panel.




Figure 4-3: Search criteria fields

⑦ Select filtering options on the panel.

- ⑧ Click **Apply**.
- ⑨ Results will be returned.
- ⑩ You can filter out cases that are not urgent using the embedded filter “Show only urgent cases”.
- ⑪ To collapse the expanded view, click “**Hide search filters**”.

4.1 View closed cases

If a user wants to view closed cases, they should choose the relevant category from the left-hand menu to see the type of case they are interested in.




Figure 4-4: Searching for closed cases

- ① Select “**Show search filters**”




Figure 4-5: Applying filters to search for closed cases

- ② Select Closed checkbox and then ③ “**Apply**” button.

All Closed cases will be displayed.

To narrow down the search criteria further, additional search filters can be added.

4.2 Clear all filters




Figure 4-6: “Clear all filters” button

- ① Click “Clear all filters”.
- ② Click „Apply” button.

A list will be refreshed to a default state.

5 View a case

To view details of a received case:




Figure 5-1: Viewing case details

① Click an individual row from a list of Received requests.




Figure 5-2: Viewing case details: Overview tab

② A case with details will be displayed. Click through available tabs to view available information.

6 Icons of messages

The purpose of this section is to provide a concise overview of the messages exchanged within a case, focusing on the most important events. This allows the user to quickly see which key messages have been sent to the counterparties.

- **Blue icon** indicates that a message has been sent by service provider.
- **Grey icon** indicates that a message has not been sent by service provider yet.

6.1 EPOC Message Icons

An EPOC section with one service provider may look like in the example below:




Figure 6-1: EPOC Message Icons

Hover the icon to see the description.
Click the name of the addressee to see the details.

6.2 EPOC-PR Message Icons

For EPOC-PR, there is a different set of icons available.

The screenshot displays the 'Service Provider's Interface' for the European Commission. The left sidebar contains navigation links: Dashboard, Received requests (active), Drafts, and Downloads. The main content area is titled 'User Manual' and shows details for a request with ID 'EPOCPR-FR-DE-2026-04-17-0001-1'. The request is in 'Received' status. The issuing state is 'French Republic' and the enforcing state is 'Federal Republic of Germany'. The issuing authority is 'Tribunal Judiciaire de Paris(1)'. The service provider is 'sp name 2' and the addressee is 'entity name 2'. The accepted languages are 'Polish' and 'English'. The type of addressee is 'Legal representative'. The request started on '17/04/2026 16:03' and the latest update was on '17/04/2026 16:03'. There are no linked cases. The assigned users section is empty.

European Commission | Service Provider's Interface | Integration Cdb | entity name 2 | EN | Automatic translation | 09:50

Dashboard | Received requests | Drafts | Downloads

User Manual | National Case No. | Comment | Download | Workflow

EPOCPR | EPOCPR-FR-DE-2026-04-17-0001-1

Overview | Form 2 | Event & Message Timeline

ISSUING STATE: French Republic
ISSUING AUTHORITY: Tribunal Judiciaire de Paris(1)
ENFORCING STATE: Federal Republic of Germany
SERVICE PROVIDER: sp name 2
ADDRESSEE: entity name 2
ACCEPTED LANGUAGES: Polish, English
TYPE OF ADDRESSEE: Legal representative

Status: Received
Request started on: 17/04/2026 16:03
Latest update on: 17/04/2026 16:03
Linked cases: No cases linked
Add case link

Assigned users: Authority
Display roles | Edit users

This list is empty

Figure 6-2: EPOC-PR Message Icons

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

7 Case ownership

Each case marked with a Global Case ID can have many local instances.

The first instance of the case appears at the very moment of a new case creation. This instance is owned by the issuing State authority to which the creating user with an Author role belongs. Regardless of how many users from many competent authorities collaborate over the Draft edition, this Case instance will be owned by the issuing State authority and all messages coming out within that case, sent by anyone having access to the case, from any authority, will be sent in lieu of the issuing State authority.

Any comments added to the Case are never sent to another party. They are accessible only locally, to users of one Case instance.

Every time the Case is being received by a competent authority/ service provider, a **new Case instance** is being created, owned by competent authority/ service provider that received the Case.

8 European Production Order Certificate (EPOC)

8.1 Introduction

A European Production Order Certificate (EPOC) is a certificate issued by a judicial authority of a Member State, which requires a service provider offering services in the European Union to produce electronic evidence, such as subscriber data, content data, traffic data, or data for the sole purpose of identifying the user, for the purpose of criminal proceedings.

The EPOC is based on the principle of mutual recognition and is issued in accordance with the rules and procedures set out in EU Regulation 2023/1543. The certificate is used to obtain electronic evidence from service providers established or represented in another Member State, in order to facilitate the investigation and prosecution of criminal offences.

8.1.1 Overview

The Internal Workflow encompasses the entire process from the creation of a new case to the transmission of the EPOC to a service provider's legal representative or designated establishment (and enforcing authority, if applicable). This process takes place within the Competent Authority's module of the RI and is restricted to authorized users from the issuing State authority.

Once all steps of the Internal Workflow are completed, the EPOC can be sent to a chosen service provider/ enforcing authority. The communication between the issuing authority and the addressee takes place within the **External Workflow**.

8.1.2 High Level End to End Process

1. A competent authority from the issuing State creates an EPOC, specifying the electronic evidence to be produced.
2. In some cases, and in some Member States, the EPOC may require validation by a judicial authority in the issuing Member State.
3. The EPOC is transmitted to an appropriate addressee in another Member State (and enforcing authority, if applicable).
4. Communication between service provider and competent authorities takes place, allowing for the exchange of information and potential issues related to the EPOC.
5. The service provider can raise concerns or objections regarding the EPOC through a dedicated regulatory form (Form 3), which may lead to modification of the request.

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

6. The requested electronic evidence is provided by the service provider within 10 days (or 8h in emergency cases) of receiving the EPOC, unless the enforcing authority raises grounds for refusal or the issuing authority withdraws the request.
7. The issuing authority may withdraw the EPOC at any time, which will terminate the production of electronic evidence.
8. Case is Closed once the requested data are provided.

8.1.3 Roles and responsibilities

Within the JUDEX, users can be assigned one or multiple roles, which grant them the ability to perform specific actions. For the Service Provider's module of the RI, only the Supervisor will be available, and users assigned to this role will have the corresponding permissions and capabilities.

8.1.3.1 Supervisor

The Supervisor role offers broad privileges, enabling users to manage and oversee EPOC and EPOC-PR cases without requiring assignment to a specific case. Key responsibilities and capabilities of the Supervisor role include:

1. Viewing all incoming EPOC and EPOC-PR cases within their entity.
2. Adding and/or removing users to/from the received EPOC/EPOC-PR(s).
3. Creating and sending all messages available within the context of EPOC and EPOC-PR cases.
4. Closing a case.
5. Deleting a case.
6. Reopening a closed case.
7. Adding internal comments.
8. Scheduling the download of a complete EPOC/EPOC-PR case to a ZIP file and subsequently downloading the generated file.

8.2 Execute EPOC

Upon receipt of a new EPOC case, the service provider assesses the certificate.

8.2.1 Submit Form 3

If a service provider is unable to provide the requested data, they must notify the issuing authority (and the enforcing authority, if applicable) without undue delay, stating the reasons for non-execution. This is done by completing and submitting Form 3.




Figure 8-1: Creating Form 3

- ① View the incoming Form 1.
- ② Click **Workflow > Form 3**.

The screenshot shows the 'Service Provider's Interface' for the European Commission. The main content area is titled 'User Manual' and displays the 'Form 3' tab. The form is a draft, titled 'EPOC FR-DE-2011-0032-1'. The form includes sections A through H, with a 'List of Sections' menu on the left. The main content area also displays the 'INFORMATION ON THE IMPOSSIBILITY OF EXECUTING AN EPOC / EPOC-PR' section, which contains text about the Regulation (EU) 2023/1543 and the obligation to preserve data. The form is ready for completion.

Figure 8-2: Form 3 tab displayed

- ③ A **new draft** will be created and displayed in a dedicated tab with Form 3 ready for completion.
- ④ Complete **Sections A-H** of Form 3 by using the **List of Sections** menu.
- ⑤ Attach documents, if required.

8.2.1.1 Choose recipient(s)

To specify the recipient(s) of Form 3, follow the steps below.

Service Provider's Interface

Integration Cdb
entity name 2

Automatic translation

National Case No.

User Manual

EPOC EPOC-FR-DE-2026-05-11-0032-1

Comment Download Workflow

Overview Form 1 **Form 3** Event & Message Timeline

Form 3 (DRAFT) Date of creation: 11/05/2026 Recipients: Choose recipient(s) Tribunal Judiciaire de Paris(1) Deadline for reply: -

Get PDF / Print Attach Document Validation check Delete draft Copy form

Introduction section

SECTION A
Certificate concerned

SECTION B
Relevant authority(ies):

SECTION C
Addressee of the EPOC/EPOC-PR

SECTION D
Reasons for non-execution

SECTION E
Conflicting obligations arising from the law

INFORMATION ON THE IMPOSSIBILITY OF EXECUTING AN EPOC / EPOC-PR

Under Regulation (EU) 2023/1543 of the European Parliament and of the Council (1), in cases where the addressee cannot comply with its obligation to preserve the requested data under an EPOC-PR or to produce it under an EPOC, cannot respect the specified deadline or does not provide the data exhaustively, this form should be completed by the addressee and sent back to the issuing authority as well as, where a notification took place and in other cases where applicable, to the enforcing authority referred to in the EPOC, without undue delay.

Where possible, the addressee shall preserve the data requested even where additional information is needed to identify them precisely, unless the information in the EPOC/EPOC-PR is insufficient for that purpose. If clarifications by the issuing authority are needed, the addressee shall seek them, without undue delay, using this form.

Figure 8-3: Form 3: Choose recipient(s)

① In the Form 3 accordion view, click: **"Choose recipient(s)"**.

Send to

SENDER

entity name 2 (Service provider)

RECIPIENT

☐ Validating Authority -Tribunal Judiciaire de Paris(29) (Validating authority)

☒ Tribunal Judiciaire de Paris(1) (Issuing authority)

☐ Another authority

Cancel Save

Figure 8-4: Form 3: Choose recipients pop-up

② A pop-up window will appear with the **issuing authority pre-selected by default**. If needed, **select** additional recipients.

Figure 8-5: Form 3: Another Authority selection in Form 3

③ If the EPOC was not originally sent to the enforcing authority and there is a need to notify them, select the "Another authority" checkbox.

④ Click "Choose authority" button.

Figure 8-6: Form 3: Search for enforcing authority

⑤ The system will display all authorities in the CDB with "enforcing authority" competence in the relevant Member State.

⑥ Select the correct authority by clicking the radio button, then click "Select".

After saving the recipient(s) data, the **Recipients** section in the accordion will update accordingly, as illustrated in the screenshot below.

The screenshot shows the 'Service Provider's Interface' for the European Commission. The main window displays the 'User Manual' for Form 3, titled 'Form 3: Save recipients data'. The form is in 'DRAFT' status. The 'Recipients' field is highlighted with a blue box, showing a list of recipients: 'Tribunal Judiciaire de Paris(1)' and 'Staatsanwaltschaft Dortmund Zweigstelle Hamm (4)'. The 'Date of creation' is '11/05/2026'. The interface includes a sidebar with navigation options like 'Dashboard', 'Received requests', 'Drafts', and 'Downloads'. The top bar shows the user's name 'Integration Cdb' and the language 'EN'.

Figure 8-7: Form 3: Save recipients data

NOTE: If Form 3 is submitted to an enforcing authority that was not originally notified of the EPOC, the system will not include or forward the corresponding Form 1 with the submission.

8.2.1.2 Mandatory fields

All mandatory fields must be filled in before Form 3 can be electronically signed. These mandatory fields are checked by a validation check. This validation consists of set of syntactical and semantical validations of the data contained in the form. A check is performed to verify that all required (mandatory) fields of Form 3 have been filled. You can **trigger validation manually** at any time, while you edit a form.

To trigger validation:

European Commission | Service Provider's Interface | Integration Cdb entity name 2 | EN | Automatic translation

User Manual | National Case No. | 11-0032-1

EPOC EPOC-FR-DE-2(1) 11-0032-1 | Comment | Download | Workflow

Overview Form 1 **Form 3** Event & Message Timeline

Form 3 **DRAFT** | Date of creation: 11/05/2026 | Recipients: Choose recipient(s) Tribunal Judiciaire de Paris(1) | Deadline for reply: -

Get PDF / Print | Attach Document | **Validation check** | Delete draft | Copy form

Introduction section

SECTION A
Certificate concerned

SECTION B
Relevant authority(ies):

SECTION C
Addressee of the EPOC/EPOC-PR

SECTION D
Reasons for non-execution

SECTION E
Conflicting obligations arising from the law

INFORMATION ON THE IMPOSSIBILITY OF EXECUTING AN EPOC / EPOC-PR

Under Regulation (EU) 2023/1543 of the European Parliament and of the Council (1), in cases where the addressee cannot comply with its obligation to preserve the requested data under an EPOC-PR or to produce it under an EPOC, cannot respect the specified deadline or does not provide the data exhaustively, this form should be completed by the addressee and sent back to the issuing authority as well as, where a notification took place and in other cases where applicable, to the enforcing authority referred to in the EPOC, without undue delay.

Where possible, the addressee shall preserve the data requested even where additional information is needed to identify them precisely, unless the information in the EPOC/EPOC-PR is insufficient for that purpose. If clarifications by the issuing authority are needed, the addressee shall seek them, without undue delay, using this form.

Figure 8-8: Form 3 validation

- ① View a newly created **Form 3**.
- ② Click **Validation check**.

Service Provider's Interface

Integration Cdb
entity name 2

Automatic translation

National Case No. [] []

EPOC EPOC-FR-DE-2026-05-11-0032-1

Comment Download Workflow

Overview Form 1 **Form 3** Event & Message Timeline

Form 3 **DRAFT**

Date of creation: 11/05/2026

Recipients: Choose recipient(s)
Tribunal Judiciaire de Paris(1)

Deadline for reply: -

Get PDF / Print Attach Document Validation check Delete draft Copy form

3

Introduction section

1

SECTION A
Certificate concerned

SECTION B
Relevant authority(ies):

SECTION C
Addressee of the EPOC/EPOC-PR

SECTION D
Reasons for non-execution

SECTION E
Conflicting obligations arising from the law of third country

SECTION F
Request for additional information/clarification

SECTION G
Preservation of data

SECTION H
Contact details of the designated establishment/ legal representative of the service provider

3

Warning
Please fill all required fields

INFORMATION ON THE IMPOSSIBILITY OF EXECUTING AN EPOC / EPOC-PR

Under Regulation (EU) 2023/1543 of the European Parliament and of the Council (1), in cases where the addressee cannot comply with its obligation to preserve the requested data under an EPOC-PR or to produce it under an EPOC, cannot respect the specified deadline or does not provide the data exhaustively, this form should be completed by the addressee and sent back to the issuing authority as well as, where a notification took place and in other cases where applicable, to the enforcing authority referred to in the EPOC, without undue delay.

Where possible, the addressee shall preserve the data requested even where additional information is needed to identify them precisely, unless the information in the EPOC/EPOC-PR is insufficient for that purpose. If clarifications by the issuing authority are needed, the addressee shall seek them, without undue delay, using this form.

Figure 8-9: Form 3 mandatory fields

③ Validation will be performed and the warning or success message will be displayed. If there are validation errors, fields and sections containing errors will be highlighted.

8.2.1.3 Complete Form 3

Figure 8-10: Form 3: Complete

① In the edited form, click **Workflow > Complete**:

- A success message will show up in the bottom.
- A new status: “**Completed**” will show up in the Accordion view display.

8.2.1.4 Review Form 3

Upon reviewing the form content, the user can choose to: accept the review, return the form for amendments, or reject it entirely.

Figure 8-11: Form 3: Accept review

① In a completed form click **Workflow > Accept Review**:

- A new status: “**Positively Reviewed**” will be displayed in Form 3 Accordion view.

Alternatively, the user can take one of the following actions:

- Return the form for amendment:** Click **Workflow > Return for amendment** and enter an optional message. This will revert the form to an editable draft version, allowing the user to make amendments and then click **Workflow > Complete** to proceed.
- Reject the form:** Click **Workflow > Reject** and enter an optional message. This will result in the form being rejected, and the Workflow buttons will be disabled, preventing further actions from being taken for this form.

8.2.1.5 Sign Form 3

Once the form has been reviewed and approved, the next step in the internal workflow is to apply a digital signature to Form 3. Please note that the form can still be edited at this stage, prior to selecting “**Sign**” from the **Workflow** dropdown menu.




Figure 8-12: Form 3 signing

- ① In a positively reviewed form click **Workflow > Sign**
 - The status of the form will change to “Ready to sign”.
 - The form is no longer editable.




Figure 8-13: Placeholder

Step 1: Download Form 3 PDF

① In a “Ready to Sign” form, click **Workflow > Sign**

Signature Form 3 ×

1. Please download The Form 3 Pdf document to Your disk. 2

[Download Form 3](#)

2. Sign the document and upload it.

[Upload Form 3](#)

[Submit](#)

Figure 8-14: Form 3 download

② Download PDF to your computer by clicking **Download Form 3**.

Open the PDF in **Adobe Acrobat Reader** software.




Figure 8-15: Opening Form 3 in a PDF form




Figure 8-16: Signing Form 3 in a PDF: “All tools” tab

③ Click **All tools** > **Use a certificates**.




Figure 8-17: Signing Form 3 in a PDF: “Digitally sign” button

④ Click **Digitally sign**.




Figure 8-18: Signing Form 3 in a PDF: Choosing appropriate area

⑤ Using your mouse, click and drag to draw the area where you would like the signature to appear.

⑥ A modal window will appear. Click **Sign**.

⑦ Choose a location to save the signed document. Click **Save**. Use your own signing method. A possible method is outlined below.




Figure 8-19: Signing Form 3 in a PDF: Entering your PIN number

- ⑧ Enter your PIN number and click **OK**. A signed PDF will be generated and saved.

Step 2: Upload Signed Form 3 PDF




Figure 8-20: Uploading Signed Form 3

- ① Return to the JUDEX and click **Upload Signed Form 3**.
- ② Browse for **your signed** PDF file and click **Open**.




Figure 8-21: Browsing for signed Form 3




Figure 8-22: Submitting Form 3

③ If the signature is positively verified during the upload, a pop-up with success message will appear. Click **Submit**.




Figure 8-23: Error message during the wrong PDF upload

④ If the signature is not positively verified or a wrong file has been selected for upload, an error message will appear. Check that you have uploaded a correct file.

The status of a form will change to “**Signed**”.

Alternatively, before the form status changes to “Ready to sign”, the user can take one of the following actions:

- **Return the form for amendment:** Click **Workflow > Return for amendment** and enter an optional message. This will revert the form to an editable completed version, allowing the user to make amendments and then click **Workflow > Complete** to proceed.
- **Reject the form:** Click **Workflow > Reject** and enter an optional message. This will result in the form being rejected, and the Workflow buttons will be disabled, preventing further actions from being taken for this form.

8.2.1.6 Send Form 3

The last step of internal workflow is to send the form.

① Open the signed Form 3.

Figure 8-24: Sending Form 3

② Click Workflow > Send

Figure 8-25: Form 3 Sent

The system will perform a validation check. If validation is performed successfully, the form will be sent, and the form status will change to “Sent”.

Exceptions:

- Validation error – in this situation you will be able to correct errors in your form and resend.

- Sending error – in this situation you will be able to resend a using a **Resend** button on the Timeline.

NOTE: Form 3 can be deleted while in draft mode, and a copy function is available, enabling you to duplicate the form and populate it with existing data.

8.2.2 *Terminate a process upon withdrawal of the request*

If you receive a Withdrawal request from the issuing authority, then you should terminate all ongoing actions, send confirmation about the end of transaction to issuing authority and manually delete all gathered evidence, especially sensitive content. The EPOC status will change to “Withdrawn”.

To manually confirm the withdrawal:




Figure 8-26: Confirm withdrawal

- ① Click **Workflow > Confirm the end of transaction**.

Confirm the end of transaction ✕

✉ Sender

sp name 2
 ul. Prosta 1, 00-000 Warszawa, PL
 +48 22 555 000
 de-pl@euronet.example

✉ Recipient

Tribunal Judiciaire de Paris(1)

Message:

Normal : Sans Serif : B I U x₂ x² 0 Characters

Please enter the reason for the selected decision 2

4
3
5

✓ Save
📎 Attach Document
📄 Get PDF / Print

< Cancel
✉ Send

Figure 8-27: Confirmation of withdrawal pop-up

- ② Type your message in the text area.
- ③ Attach documents, if needed.
- ④ Click **Save**, to keep the message in the system as a draft.
- ⑤ **Send** the confirmation of withdrawal to the issuing authority. The status of the case will change to “Withdrawn”.

8.2.3 Provide the requested data

Follow the steps below to send either partial data requested by the issuing State authority or the full data requested:




Figure 8-28: Create Outcome: Workflow menu

① Click **Workflow > Outcome**




Figure 8-29: Creating outcome

- ② A new “Outcome” tab will be displayed. Select the recipient(s) of the message.
- ③ Attach documents, including evidence.
- ④ Type your message in the text area.
- ⑤ Select the “**Final Outcome**” switch if this is a full outcome (all requested data is provided and no further data will be sent). Leave the switch unselected if this is a partial outcome (only

part of the requested data is provided, and the remaining data will be sent in a subsequent message).

- ⑥ Click **Save**, to keep the message in the system as a draft.
- ⑦ Click **Send** to send the Outcome to the selected authority(ies).




Figure 8-30: Deleting data: Outcome tab

- ⑧ If needed, it is possible to **Delete** Outcome draft.

NOTE: You can create another Outcome message(s), following the steps above.

8.3 Deadlines execution in EPOC

This section outlines the deadlines implemented in the EPOC use case to ensure compliance with the time limits set out in the e-evidence Regulation. The system automatically calculates and displays deadlines related to the processing of European Production Orders.

In particular, for Service Provider's module, it verifies whether:

1. The requested data has been provided by the service provider within 10 days following receipt of Form 1.

NOTE: This list will be further updated at a later stage of the development.

8.3.1 Viewing deadline information in the Dashboard tab

The Dashboard tab provides an overview of all cases and highlights those containing overdue deadlines or deadlines expiring on the current date.

The screenshot shows the 'My Dashboard' in the JUDEX system. The 'Issued requests' tab is active, displaying a list of cases. A red dot is visible next to the first case, indicating an overdue deadline. The dashboard also shows 'Received requests' and 'Drafts' counts. On the right, there is a 'My tasks' section with various linked requests and tasks.

Issued date	Ref	Title	National Case No.	To	Type	Status
23/11/2023	EO-PL-HU-2023-11-23-0011-1	Selenium test DES_WF_R2_TC_12 executed at: 23/11/2023 14:04		HU	EO	Issued
02/11/2023	EO-PL-CZ-2023-11-02-0002-1	test-2		CZ	EO	Issued
24/10/2023	EO-PL-HU-2023-10-24-0006-1	Selenium test DES_WF_R8_TC_42 executed at: 24/10/2023 08:32		HU	EO	Issued
21/09/2023	MLA-PL-HU-2023-09-21-0002-1	Selenium test FR_X3_TC_46 executed at: 21/09/2023 17:18		HU	MLA	Issued
20/10/2023	EO-PL-HU-2023-10-20-0005-1	Selenium test DES_WF_R8_TC_12 executed at: 20/10/2023 08:14		HU	EO	Issued
22/11/2023	EO-PL-HU-2023-11-22-0001-1	Selenium test DES_WF_R1_TC_30 executed at: 22/11/2023 12:24		HU	EO	Issued
21/11/2023	EO-PL-HU-2023-11-21-0014-1	Selenium test DES_WF_R8_TC_36 executed at: 21/11/2023 08:04		HU	EO	Issued
24/11/2023	ITN-PL-HU-2023-11-24-0001-1	Selenium test DES_WF_R1_TC_17 executed at: 23/11/2023 23:04		HU	ITN	Issued
21/11/2023	EO-PL-HU-2023-11-21-0040-1	Selenium test DES_WF_R8_TC_31 executed at: 21/11/2023 19:22		HU	EO	Issued
23/11/2023	EO-PL-HU-2023-11-23-0015-1	Selenium test DES_WF_R2_TC_36 executed at: 23/11/2023 18:34		HU	EO	Issued

Figure 8-31: Viewing deadline information in the Dashboard tab

① Cases containing one or more overdue deadlines are marked with a red dot. Cases for which a deadline expires on the current date are also highlighted with a red dot.

8.3.2 Viewing deadline information in the Received Requests tab

The Received Requests folder contains two tabs:

1. **My Received Requests:** displays all received cases.
2. **Deadlines:** displays all deadlines associated with received cases, including both upcoming and overdue deadlines.

The screenshot shows the 'Issued Requests' tab in the JUDEX system. The 'Deadlines' sub-tab is active, displaying a list of cases. A red dot is visible next to the first case, indicating an overdue deadline. The interface includes search filters and a table of cases.

Issued date	Ref	Title	National Case No.	To	Type	Status
23/11/2023	EO-PL-HU-2023-11-23-0011-1	Selenium test DES_WF_R2_TC_12 executed at: 23/11/2023 14:04		HU	EO	Issued
02/11/2023	EO-PL-CZ-2023-11-02-0002-1	test-2		CZ	EO	Issued
24/10/2023	EO-PL-HU-2023-10-24-0006-1	Selenium test DES_WF_R8_TC_42 executed at: 24/10/2023 08:32		HU	EO	Issued
21/09/2023	MLA-PL-HU-2023-09-21-0002-1	Selenium test FR_X3_TC_46 executed at: 21/09/2023 17:18		HU	MLA	Issued
20/10/2023	EO-PL-HU-2023-10-20-0005-1	Selenium test DES_WF_R8_TC_12 executed at: 20/10/2023 08:14		HU	EO	Issued
22/11/2023	EO-PL-HU-2023-11-22-0001-1	Selenium test DES_WF_R1_TC_30 executed at: 22/11/2023 12:24		HU	EO	Issued
21/11/2023	EO-PL-HU-2023-11-21-0014-1	Selenium test DES_WF_R8_TC_36 executed at: 21/11/2023 08:04		HU	EO	Issued
24/11/2023	ITN-PL-HU-2023-11-24-0001-1	Selenium test DES_WF_R1_TC_17 executed at: 23/11/2023 23:04		HU	ITN	Issued
21/11/2023	EO-PL-HU-2023-11-21-0040-1	Selenium test DES_WF_R8_TC_31 executed at: 21/11/2023 19:22		HU	EO	Issued
23/11/2023	EO-PL-HU-2023-11-23-0015-1	Selenium test DES_WF_R2_TC_36 executed at: 23/11/2023 18:34		HU	EO	Issued

Figure 8-32: Viewing deadline information in the Received Requests tab

① **My Received Requests tab:** Similar to the Dashboard tab, cases containing overdue deadlines or deadlines expiring on the current date are marked with a red dot.

8.3.3 Viewing deadline information on case level via Overview tab

Once a case is received, all relevant deadlines are displayed in the **Overview** tab.




Figure 8-33: Viewing deadline information on case level via Overview tab

① Deadlines that have already expired will be displayed in red. Once the expected response has been sent, the deadline is no longer highlighted.

Deadlines expiring on the current date are also displayed in red, although they are not yet considered overdue. This visual indicator alerts users that immediate action or follow-up may be required.

8.4 Import/Export Webservices

Import/ Export Webservices are described in the document “Public REST APIs Document” [RD 01], but in summary:

EPOC and EPOC-PR legal cases can be exported from JUDEX RI to a service provider’s own system via REST services. However, service providers cannot import cases into JUDEX.

Export creates a specially structured zip file of the already existing EPOC/EPOC-PR Legal Case. Outgoing and incoming Legal Cases can be exported independently of its status.

9 European preservation Order Certificate (EPOC-PR)

9.1 Introduction

A European Preservation Order Certificate (EPOC-PR) is a certificate issued by a judicial authority of a Member State, which requires a service provider offering services in the European Union to preserve electronic evidence, such as subscriber data, content data, traffic data, or data for the sole purpose of identifying the user, for the purpose of criminal proceedings.

The EPOC-PR is based on the principle of mutual recognition and is issued in accordance with the rules and procedures set out in EU Regulation 2023/1543.

9.1.1 Overview

The **Internal Workflow** encompasses the entire process from the creation of a new case to the transmission of the EPOC-PR to service provider's designated establishment or legal representative. This process takes place within the Competent Authority's module of the RI and is restricted to authorized users from the issuing State authority.

Once all steps of the Internal Workflow are completed, the case can be sent to a chosen addressee. The communication between the issuing authority and the addressee/enforcing authority occurs within the **External Workflow**.

9.1.2 High Level End to End Process

1. A competent authority creates an EPOC-PR, specifying the electronic evidence to be preserved.
2. In some cases, and in some Member States, the EPOC-PR may require validation by a judicial authority in the issuing Member State.
3. The EPOC-PR is transmitted to an appropriate addressee in another Member State.
4. Communication between issuing authority and service provider takes place, allowing for the exchange of information and potential issues related to the EPOC-PR.
5. The service provider can raise concerns or objections regarding the EPOC-PR through a dedicated regulatory form (Form 3), which may lead to modification of the initial certificate.
6. The requested electronic evidence shall be preserved by the service provider for an initial period of 60 days, which may be extended by an additional 30 days, provided that the issuing authority does not withdraw the original EPOC-PR or notify the service provider that preservation is no longer required.

Version: 1.0		Date: 21/05/2026
--------------	--	------------------

7. The issuing authority may withdraw the EPOC-PR at any time, which will terminate the preservation of electronic evidence.
8. Case is Closed once the requested data are preserved for the requested period.

9.1.3 Roles and responsibilities

For EPOC-PR use cases, users accessing the Service Provider's module will be assigned the Supervisor role, which entails the privileges outlined in section 8.1.3

9.2 Execute EPOC-PR

Upon receipt of Form 2, the service provider assesses the EPOC-PR.

9.2.1 Submit Form 3

In case the service provider cannot preserve the requested data, they inform without undue delay the issuing, and the enforcing authority if applicable, about reasons for non-execution by sending back Form 3.

Submitting Form 3 in the context of EPOC-PR follows the same steps as outlined for EPOC; please refer to Section 8.2.1 for detailed instructions on completing this process.

The possibility of sending Form 3 to Other Authority in the context of EPOC-PR is not yet implemented for 4.1.0 release.

9.2.2 Terminate a process upon withdrawal of the request

This feature is not available in version 4.1.0

9.3 EPOC-PR Deadlines execution

This feature is not available in version 4.1.0.

10 Basic functionalities

10.1 Communication between actors

10.1.1 View incoming message

To see a message/form received from an issuing/enforcing State authority:

- ① Select **Received Requests**.
- ② Click a case you wish to view.

Depending on the type of a message:

The screenshot displays the 'Service Provider's Interface' for the European Commission. The left sidebar contains navigation options: Dashboard, Received requests, Drafts, and Downloads. The main content area is titled 'User Manual' and shows a case overview for 'EPOCPR FR-DE-2' with ID '4-0082-1'. A blue circle with the number '3' highlights the 'Form 6' tab. Below the tab, the status is 'RECEIVED' and the recipient is 'entity name 2'. The interface includes a 'Get PDF / Print' button and a table of contents with sections A, B, C, and D. The main text area contains the title 'EXTENSION OF THE PRESERVATION OF ELECTRONIC EVIDENCE' and a paragraph of text. On the right, there is an 'Attachments' section listing three files: 'Token.pdf', 'Document.xml', and 'Document.pdf', each with a creation date of 14/04/2026 13:02 and an 'Antivirus status' of '✓'.

Figure 10-1: Form 6 tab: Overview

- ③ If you receive a statutory form (Form 6, 5), it will be visible as a separate tab. Click it to see its contents.

Service Provider's Interface

Integration Cdo
entity name 2

Automatic translation

National Case No. []

Comment Download Workflow

Overview Form 1 Form 3 **Grounds for refusal form** Event & Message Timeline

Grounds for refusal form **RECEIVED** Receiving date: 14/04/2026 Recipients: entity name 2

Get PDF / Print

Grounds for refusal form

SENDER

Staatsanwaltschaft Dortmund Zweigstelle Hamm (4) (Enforcing authority)

Are there grounds for refusal? *

☒ Yes ☐ No

Please select the individual identifiers concerned by the ground for refusal: *

ID 1:

Name of the relevant service:

Refuse all data on the same ground for refusal

Figure 10-2: Grounds for Refusal: Overview

④ If you receive a **Grounds for Refusal** predefined message (used in the context of EPOC), it will also be visible in a separate tab. Click it to see the detailed information.

Service Provider's Interface

Integration Cdo
entity name 2

Automatic translation

National Case No. []

Comment Download Workflow

Overview Form 1 Form 3 **Grounds for refusal form** Event & Message Timeline

ISSUING STATE French Republic

ISSUING AUTHORITY Tribunal Judiciaire de Nice (3)

ENFORCING STATE Federal Republic of Germany (Deutsch)

SERVICE PROVIDER sp name 2

ADDRESSEE entity name 2

ACCEPTED LANGUAGES (Polish) (English)

TYPE OF ADDRESSEE Legal representative

ENFORCING AUTHORITY Staatsanwaltschaft Dortmund Zweigstelle Hamm (4)

Status **Received**

Request started on: 14/04/2026 14:21
Latest update on: 15/04/2026 12:46

Assigned users

Jeff S2 All Authority sp name 2

Attached documents

Request for additional information

Document.xml	Created at:	Size:	Antivirus status:
Document.xml	14/04/2026 15:10	6 KB	Antivirus status: ---
Document.xml	15/04/2026 10:04	6 KB	Antivirus status: ---

Figure 10-3: Other messages and attachments received from a Competent Authority

⑤ Some messages do not have a dedicated tab and will instead appear in the **Event & Message Timeline**.

⑥ All attachments, messages exchanged in a process of communication, are displayed in the Overview tab and in corresponding tabs.

10.1.2 Send a request for additional information




Figure 10-4: Selecting a “Request for additional information” button

① Click **Workflow > Request for additional information**.

 A screenshot of a form titled 'Request for additional information'. It has a 'SENDER' field with 'entity name 2 (Service provider)' and a 'RECIPIENT' field with two options: 'Tribunal Judiciaire de Nice (3) (issuing authority)' and 'Staatsanwaltschaft Dortmund Zweigstelle Hamm (4) (Enforcing authority)'. A red error message below the recipient field says 'At least one option is required'. Below this is a 'Message:' section with a rich text editor containing the placeholder 'Please enter the reason for the selected decision'. Underneath is a 'Deadline for reply:' field with a date picker. At the bottom is a 'SIGNED MESSAGE' section with an 'Upload' button and a 'Save' button. Numbered circles 2 through 6 are overlaid on the form to indicate steps: 2 on the recipient field, 3 on the message text area, 4 on the deadline field, 5 on the upload button, and 6 on the save button.

Figure 10-5: Steps to send a request for additional information

- ② Select the recipient(s) of the message.
- ③ Type a message in the text area.
- ④ Select a deadline for reply, if needed.
- ⑤ Attach documents, if needed.
- ⑥ Click **Save**, to keep the message in the system as draft.



Figure 10-6: Viewing a draft request for additional information

- ⑦ Click **Event & Message Timeline** tab to see a draft message.
- ⑧ Click **Edit** on the right side of message to edit your message and access **Send** button.




Figure 10-7: Sending a request for additional information

- ⑨ Click **Send** to send the message to the selected recipient(s).
Your message and a future reply from the message recipient(s) can be accessed from the Event & Message Timeline tab.

10.1.3 Reply to a request for additional information

You can respond to a request for additional information received from a competent authority by replying directly to the originator of the message. This will associate your response with the original request and display it as part of a threaded conversation.




Figure 10-8: Reply to request for additional information: Clicking "Reply" button

① View **the Timeline of a case**, where the Request for additional message is displayed and click a **Reply** button.

Figure 10-9: "Reply to request for additional information" pop-up window

- ② Select the recipient of the message.
- ③ Type a message.
- ④ Attach documents, if needed.
- ⑤ Click **Save**, to keep the message in the system as a draft.

Draft will appear in **Event & Message Timeline** tab if the user clicks "Close".




Figure 10-10: Reply to request for additional information: Editing a draft

- ⑥ Click **Event & Message Timeline tab** to see a draft message.
- ⑦ Click on the message icon. A pop-up where you can edit the message and attachments will appear.

Figure 10-11: Replying to a request for additional information

- ⑧ Click **Send** to send a message to the originator of the message. Your message can now be accessed from Event & Message Timeline tab.

NOTE: You cannot reply to a received reply message for EPOC and EPOC-PR use case.

10.1.4 Send other information

Through the Workflow menu one can send any other information to the parties involved in case processing.




Figure 10-12: Send other information: Workflow menu

① Click **Workflow > Send other information**.

Figure 10-13: Send other information: Fields to fill-in

- ② Select the recipient(s) of the message.
- ③ Type a message in the text area.
- ④ Attach documents, if needed.
- ⑤ Click **Save**, to keep the message in the system as a draft.

The draft will appear in Event & Message Timeline tab if the user clicks “**Close**”.

Figure 10-14: Send other information: Editing a draft message

- ⑥ Click **Event & Message Timeline tab** to see the draft message.
- ⑦ Click **Edit** on the right side of the message. A pop-up where you can edit the message and attachments will appear.

Figure 10-15: Sending other information

⑧ Click **Send** to send a message to the selected recipient(s).
Your message can be accessed from Event & Message Timeline tab.

10.1.5 Reply to “Send other information” message

When you receive a 'Send other information' message, you can reply directly to it. The system will automatically associate your response with the original message and display it in a threaded conversation.

Figure 10-16: Reply to “Send other information” button

① View **the Timeline of a case**, where the “Send other information” message is displayed and click a ② **Reply** button.

Figure 10-17: Reply to “Send other information” message pop-up window

- ③ Select the recipient of the message.
- ④ Type a message in the text area.
- ⑤ Attach documents, if needed.
- ⑥ Click **Save**, to keep the message in the system as a draft.

Draft will appear in Event & Message Timeline tab if the user clicks “Close”.




Figure 10-18: Reply to “Send other information” message: Editing a draft message

- ⑦ Click **Event & Message Timeline** tab to see a draft message.
- ⑧ Click on the draft reply to the Send other information message. A pop-up where you can edit the message and attachments will appear.

Figure 10-19: Sending a reply to “Send other information” message

⑨ Click **Send** to send a message to the sender of the original message.
Your sent message can now be accessed from Event & Message Timeline tab.

NOTE: You cannot reply to a received reply message for EPOC and EPOC-PR use case.

10.1.6 Signing (optionally) additional messages

JUDEX RI allows the service provider’s module users to optionally sign the messages listed below:

EPOC:

- Manifest for External Transmission of Data (*not available in version 4.1.0*),
- Outcome,
- Request for additional information.

EPOC-PR:

- Request for additional information.

Figure 10-20: Signing (optionally) additional messages

- ① **Click** “GET PDF/Print” button and save the message in PDF format on your local disc.
- ② Sign the downloaded message and **upload** it to JUDEX RI by clicking the “Upload document” button. For more details on how to sign the message, please refer to 8.2.1.5.

NOTE: Please be aware that the **Get PDF/Print** button will not be accessible until the user saves the changes by clicking the **Save** button.

10.2 Technical Evidence

Received messages within cases contain a Token.xml and a Token.pdf. These files verify the authenticity of the document received from the counterparty and can be accessed in either of the following locations:

- The **Overview** tab, under the "**Attached Documents**" section.
- The **Event & Message Timeline**.



e-CODEX

e-Justice Communication via Online Data Exchange

Trust OK-Token

General Information

Issuing Country	PL
Advanced Electronic System	Authentication-based
Document Information	application/pdf, "MainDocPlaceholder.txt"
Time of Issuance	2020-08-06 22:26 UTC

Legal Result

Evaluation of the Document	Successful
----------------------------	------------

e-CODEX approves the validity of the document. It is attested that it fulfils the requirements to be legally valid in the sending country.

Further details can be found in the attached validation report and its technical assessment.



Figure 10-21: Technical Evidence

If you are the sender of a case or message, you can also download technical evidence to check the **current delivery status**, by following the steps below.




Figure 10-22: Download technical evidence: Timeline view

- ① Open the **Event & Message Timeline** and click on the sending event.




Figure 10-23: Download technical evidence

- ② You can see the **Delivery Status**.
- ③ Detailed technical evidence can be downloaded and shared with the respective personnel.

10.3 Download the complete case

All users having access to the case (by assignment or by privilege) have the possibility to download the complete case to the local storage (PC or network shared disk).

The user can request to prepare a file for such download at any time while having access to the case. This request is triggering the process of completion of all case information, which can take some time, especially if the case has many large attachments. The case (e-forms, all

messages and attachments) will be compressed into a ZIP file. This ZIP file is accessible later, even in the event that the user meanwhile has been revoked from handling the case or the case has been deleted.

Downloaded ZIP file contains comments, forms, messages.




Figure 10-24: "Download" button

① To schedule a download, go into the case details screen and use the “**Download**” button.

 The screenshot shows a 'Download confirmation' dialog box. It contains the text 'Please enter the name of the file (.zip extension will be added automatically)'. Below this is a text input field labeled 'File name' with a blue circle containing the number '2' next to it. To the right of the input field is a character count '250'. At the bottom right, there is a blue 'Download' button with a blue circle containing the number '3' next to it. At the bottom left, there is a 'Cancel' button.

Figure 10-25: Downloading a ZIP file

② Set the name of the ZIP file with case details.

③ Click the „**Download**” button again.

If everything went smoothly, user should receive this confirmation pop-up:




Figure 10-26: Download confirmation

① Downloaded ZIP-file lands in DOWNLOADS section, on the left-hand menu.




Figure 10-27: “Downloads” section

The files that will be downloaded may have several statuses:

Ready - this means the file is ready to download;

Scheduled - this means that the file is waiting in a queue to be ready for download;

Error - means that the action to prepare the document for download has failed.

10.3.1 Deleting files from DOWNLOADS




Figure 10-28: Deleting files from “Downloads” section

① You can delete unnecessary downloads by using the “x” icon.

10.4 Internal Comments

Internal comments can be added to a case along with attachments. These comments and attachments are only visible in the service provider’s module timeline.

Comments are only visible internally and not transmitted anywhere.

Any user having access to the case can place a new comment or edit (add or delete an attachment, edit the text) and delete an existing comment.




Figure 10-29: "Comment" button

① To add a comment, a user needs to be inside an EPOC or EPOC-PR case and select a "Comment" button.




Figure 10-30: Adding internal comments

② Once an internal comment is added, internal attachments can be added, and both can be saved.



Figure 10-31: Comments displayed in the "Event and Message Timeline"

③ All comments made are visible in the Event & Message Timeline of that single case. After deletion of the comment, it is no longer visible in the timeline.

10.5 Workflow menu




Figure 10-32: Workflow menu

The Workflow menu provides actions possible for the Service Provider's module of the RI. Additionally, it allows sending of messages to the involved national competent authorities. Available options set-in drop-down menu depend on the workflow state of the Case.

10.6 Close case

Closing a case takes effect only on the closing party's side. Counterparties are not notified of the case closure, and this action is not reflected as a status on their Event and Message timeline.




Figure 10-33: Closing a case: Workflow menu

① Click **Workflow > Close a case**




Figure 10-34: Close a case pop-up warning

- ② A pop-up confirmation window will be displayed, with the possibility to **collapse/expand** all the necessary information.
- ③ Click 'Close', the status will be changed to **Closed**.

NOTE: If the user decides to “Cancel” the action, the case will not be closed.

Remarks:

- After case closure, some actions of the Workflow dropdown menu are no longer available. However, you can still use Workflow menu to:
 - Send any other information,
 - Reopen the case.

10.6.1 Re-open closed case

Reopening a case takes effect only on your module's side. The counterparties are not notified about the reopening of a case, and this action is not reflected as a status on their Event and Message timeline.

To reopen a case:




Figure 10-35: Reopening a case: Workflow menu

- ① Click **Workflow > Reopen a case**.
The status will be changed back to **Received**.

10.7 Download PDF and Print

The button is available for all types of messages (statutory forms, predefined messages and free form messages) related to EPOC and EPOC-PR.



Figure 10-36: Form 1 “Get PDF / Print”

- ① Enter a Form/message you wish to download.
- ② Click **“Get PDF / Print”**, which will trigger downloading PDF file to your computer.

Wait until download of PDF completes. Depending on the connection and PDF size, delay in download may occur. Open the downloaded file in a web browser or PDF reader (Adobe Acrobat or other). Use Print feature of your browser or PDF reader to print a file.

10.8 Attaching files to a form

The button is visible for messages/forms in **draft stage**.




Figure 10-37: Attaching files

- ① Open a form for EPOC/ EPOC-PR received case.
- ② Click **Attach Document** button.




Figure 10-38: Browsing the files

- ③ A dialog box allowing you to browse the file system will be displayed.
- ④ Browse your system and select a file to attach OR select the file and Drop onto the JUDEX RI.

Figure 10-39: Added attachments

- ⑤ The file will be added to Attachments and saved in the draft.
- Repeat steps 3-5 to add another file, if needed.
 - To remove an attachment (Be careful! You can remove also attachments added by someone else), click 'x' icon visible in the attachments box.

10.9 Mandatory fields

Mandatory fields are marked with an asterisk (*) symbol. See example below:

Figure 10-40: Mandatory fields

There are also conditional validation fields which are mandatory only if certain conditions are met/certain options selected. In these cases, these fields are marked by a red border and an error message.

10.10 Virus checking

A virus check is automatically performed by the JUDEX RI whenever a file is attached to and/or when a file is downloaded from a received communication.

Clam Anti-Virus software, developed by Cisco Systems, is provided. It is a cross-platform open-source antivirus software with a GNU (General Public License). Anti-virus checks are performed automatically.




Figure 10-41: Virus checking

① When an attachment is being added and the virus scan is being performed, a blue dash will be displayed.



Figure 10-42: Successful virus scan icon

② Once an attachment has been successfully scanned against viruses, a green tick will appear.

If a virus threat was to be found, a red cross would appear. Files with viruses can be attached and transmitted as a part of evidence.

If a virus check cannot complete, then a message will be displayed to the user that the check could not complete.




Figure 10-43: Virus checking: Receiving authority's side

③ When an attachment is received, the anti-virus scan will be performed on the receiving party's side.

10.11 Save a draft

The button is visible at the bottom of Form 3 in **draft mode**.

The screenshot shows the 'Service Provider's Interface' for the European Commission. The main window displays the 'User Manual' for 'Form 3 (DRAFT)'. The form is titled 'EPOC - EPOC-FR-DE-2026-04-14-0090-1'. It includes a sidebar with navigation options: Dashboard, Received requests, Drafts, and Downloads. The main content area shows the 'Form 3 (DRAFT)' with various sections (A-H) and a 'SECTION A: Certificate concerned' dropdown menu. The 'Save' button is highlighted with a red circle and a number 1, and the 'Auto save' button is highlighted with a red circle and a number 2.

Figure 10-44: Saving a draft

- ① Click an active **Save** button. The button is not active if the form has been saved previously/automatically and there are no new changes that could be saved.
- ② **For Form 3 drafts there is an additional “Auto save” option.** When the auto save is enabled, changing a selected section in a navigational menu of Form 3 automatically saves the currently displayed section. If you accidentally change the section without clicking the Save button, the entered data will still be saved automatically.

When the Auto save is **disabled**, you must manually click the **Save** button to save new data in the draft.

The screenshot shows an 'Unsaved data' notification dialog box. The dialog box has a title bar 'Unsaved data' and a close button (X). The main text asks: 'Are you sure you want to leave the page? Unsaved data might be lost.' At the bottom, there are two buttons: 'Cancel' and 'Leave'.

Figure 10-45: Unsaved data notification

NOTE: If the user does not save manually, the system will display a pop-up reminder after switching to another section or window.

10.12 Error, warning, and success messages

Confirmation messages are displayed as a message at the bottom of the screen. These messages disappear after a couple of seconds.

Success message (green) confirms the requested action was completed successfully.

Example of a success message:




Figure 10-46: Success message

Warning message (orange) warns that some actions or information required is still missing so that the system cannot complete the desired action properly.

Example of a warning message:




Figure 10-47: Warning message

Error message (red) informs that the requested action was not completed due to lack of information, insufficient access rights or by malfunction of the internal components of the system.

Example of a warning message:




Figure 10-48: Error message

10.13 Delete a case

Case deletion is available under specific conditions. To delete a case, one of the following conditions must be met:

- the case must be **Closed**, or

- the case must be in a **Withdrawn** status.

User with the Supervisor role does not have to be assigned to the cases to be able to perform this operation. According to their privileges, they see all cases in their authority. This functionality is available for the EPOC and EPOC-PR use cases.




Figure 10-49: "Delete Case" button

- Enter a received EPOC or EPOC-PR.
- Click "**Delete Case**" from the case view




Figure 10-50: Deleting a case

- A pop-up requesting confirmation of the operation will be displayed.

10.13.1 Delete sensitive content

You can delete sensitive content and all attachments from the withdrawn Case to be compliant with data protection regulations.




Figure 10-51: “Delete all sensitive content” button

① Click “Delete sensitive content” button.




Figure 10-52: Delete all sensitive content” button: Confirmation of the operation

② Confirm that operation by clicking “Delete” button. After a successful deletion, you will receive its confirmation on the timeline.




Figure 10-53: Confirmation of sensitive data deletion

10.14 Cases and tabs content

10.14.1 Overview tab

The screenshot displays the 'Service Provider's Interface' for a case titled 'EPOC - EPOC-FR-DE-2026-04-14-0040-1'. The interface is divided into a sidebar and a main content area. The sidebar contains navigation links: Dashboard, Received requests, Drafts, and Downloads. The main content area has a top bar with 'User Manual' (1) and 'Automatic translation' options. Below this, the case details are organized into sections: Issuing State (2) and Issuing Authority (Tribunal Judiciaire de Nice (3)), Enforcing State (Federal Republic of Germany) and Accepted Languages (Deutsch) (3), Service Provider (sp name 2) and Addressee (entity name 2) (4), Enforcing Authority (Staatsanwaltschaft Dortmund Zweigstelle Hamm (4)) (5), Case Status (Received) (6), Linked cases (7), Assigned users (8), and Attached documents (9). The bottom section shows a table of documents with columns for Name, Created at, Size, and Antivirus status.

Figure 10-54: Cases and tabs content

It contains information such as:

- ① Subject of a case
- ② Issuing State authority details
- ③ Details of the enforcing State (name, and underneath its accepted languages for communication)
- ④ Details of the addressee and service provider concerned (name, message icons, accepted languages of the addressee, the type of addressee)
- ⑤ Details of the enforcing authority, if applicable
- ⑥ Case Status
- ⑦ Linked cases, if any
- ⑧ Users assigned to a case
- ⑨ Attached case documents

Attached documents

Form 3

Document.xml	Created at: 11/05/2026 15:29	Size: 7 KB	Antivirus status: —
Document.pdf	Created at: 11/05/2026 15:29	Size: 245 KB	Antivirus status: ✓

Form 1

Document.xml	Created at: 11/05/2026 11:16	Size: 8 KB	Antivirus status: ✓
Token.pdf	Created at: 11/05/2026 11:16	Size: 282 KB	Antivirus status: ✓
Token.xml	Created at: 11/05/2026 11:16	Size: 9 KB	Antivirus status: ✓
Document.pdf	Created at: 11/05/2026 11:16	Size: 241 KB	Antivirus status: ✓

Due date

sp name 2

Outcome: 21/05/2026

Contact

ISSUING AUTHORITY

Author

Tribunal Judiciaire de Paris(1)

⑩ Due date details

⑪ Contact details of the issuing authority

10.14.1.1 Adding a link to another case

Adding links to other cases is possible for all case statuses. Such references may provide relevant information of complementary value to the case. Links are displayed on the Overview tab in the “Linked cases” section.

See the example below:

Figure 10-55: Creating a link to another case

Follow the steps below to add a link to another case:

① Click **Add case link**

Figure 10-56: Add case link: Typing reference number or the subject

② Type a **reference number or the subject**. The System will search for Global Case IDs through cases and if a result is found, the reference number of the matching case will be displayed for selection in the dropdown. Otherwise, a new manually typed case reference can be added to the system.




Figure 10-57: Add case link: Selecting the reference number

③ Select the **reference number** from the list.




Figure 10-58: Add case link: Saving the selected link

④ Click **Save**.




Figure 10-59: Linked cases displayed

⑤ The reference will be added to the section and automatically saved.

10.14.1.1.1 Deleting linked cases




Figure 10-60: Removing linked references

⑥ You can remove linked references by clicking the Trash bin icon.

NOTE:

1. Links/references to other cases are not transmitted to the competent authority(ies).
2. Linking is possible to existing cases in JUDEX RI or to any external “paper” cases. The reference is a free text allowing practitioners to enter their custom references.
3. Where a reference that already exists in JUDEX RI is added, then the linked case can be easily retrieved and opened.
4. Adding these references may provide links to other EPOCs/EPOC-PRs and/or other external sources.

10.14.2 Event & Message Timeline

This tab is visible for all case types.




Figure 10-61: Event & Message Timeline: Overview

It contains a timeline with:

- Status Changes

- Messages exchanged with competent authorities within a case
- Local user's comments (not transmitted)
- Confirmation that a sent message has successfully reached its destination (green tick)




Figure 10-62: Event and Message Timeline: Confirmation that a sent message has successfully reached its destination

- If a message fails to arrive at destination, after automatic three re-sends, a red coloured message will be visible with an option to re-send.

10.15 Assigning Users to a case

The “Supervisor” is a privileged role that can see all cases within their authority. The user with that role assigns users to a case, so that they can handle the internal workflow.

Users with Supervisor role can assign individuals to all cases in their authority at any time.

10.15.1 Display roles




Figure 10-63: Assigning users to a case: “Display Roles” button

- ① The Supervisor can see the assigned roles of other users assigned to a case by using the “Display Roles” button on the Overview tab.




Figure 10-64: Assigning users to a case: “Hide Roles” button

- ② Then, the JUDEX RI expands the field to all users assigned to the case and shows their roles under the name of the authority.
- ③ To collapse the expanded view, click “**Hide roles**” button.

10.15.2 Assign users to a received case

Steps below apply for users with “Supervisor” role and are universal for all types of cases.




Figure 10-65: Assign users to a received case

- ① View a list of received requests.
- ② Click the “Assign” icon.




Figure 10-66: “Assign users to the case” pop-up window

- ③ The “Assign users” pop-up will appear.
- ④ The names of users already assigned to the case are displayed. Searching is done by a particular user. **Type a user Name** and click ⑤ “Search”

User Manual

Assigned users

Cdb Integration

Assign users to the case

sp name 2

Name

Type name Search

Search results

Jeff 52 All 6

Author Supervisor Signer 1 Reviewer Viewer Scribe Assigner Signer 2 7 Assign

Figure 10-67: Assigning selected user to the case

- ⑥ A list of users with their roles will be displayed.
- ⑦ Click “**Assign**” to assign selected user to the case. Supervisor(s) can assign any number of users to the case.

User Manual

Assigned users

Cdb Integration Jeff 52 All X 8

Assign users to the case

sp name 2

Name

Type name Search

Figure 10-68: Assign users to the case: Names of newly added users displayed

- ⑧ The names of newly added users will be displayed.

10.15.3 Assign users pop-up from the Overview tab:

The screenshot shows the 'Service Provider's Interface' with a sidebar menu on the left containing 'Dashboard', 'Received requests', 'Drafts', and 'Downloads'. The main content area is titled 'User Manual' and displays details for a case with ID 'EPOC - EPOC-FR-DE-2026-04-14-0060-1'. The 'Overview' tab is active, showing fields for 'ISSUING STATE' (French Republic), 'ISSUING AUTHORITY' (Tribunal Judiciaire de Nice (3)), 'ENFORCING STATE' (Federal Republic of Germany), 'SERVICE PROVIDER' (sp name 2), 'ADDRESSEE' (entity name 2), 'ACCEPTED LANGUAGES' (Polish, English), 'TYPE OF ADDRESSOR' (Legal representative), and 'ENFORCING AUTHORITY' (Staatsanwaltschaft Dortmund Zweigstelle Hamm (4)). A 'Status' section shows 'Received' and a timeline of events. The 'Assigned users' section lists 'Jeff S2 All' with authority 'sp name 2'. A blue circular callout with the number '1' highlights the 'Edit users' button in the top right corner of the 'Assigned users' section.

Figure 10-69: Assign users pop-up from the Overview tab

① Supervisor can also access the “Assign users” pop-up from the Overview tab by clicking “Edit users” button.

10.16 Revoking access to a case

As mentioned in the previous section, users with the roles of Supervisor have privileged permissions. In addition to adding users, these roles can also revoke access to cases within their authority.

10.16.1 Revoking access




Figure 10-70: Revoking access to a case: Overview tab

① A user with role Supervisor selects “**Edit users**” button




Figure 10-71: Revoking access to a case

② Click “x” icon near username to remove a user.




Figure 10-72: Revoking access to a case: Warning message

Then, the JUDEX RI displays an action to be confirmed. The Supervisor should select ③ “Yes, remove”, if they want to revoke access to the case for the selected user. Alternatively, they can cancel the action.




Figure 10-73: Revoking access to a case: Assigned users section

④ After the user is successfully removed from the case, they also disappear from the list in the ASSIGNED USERS section.

10.16.2 Revoking access to the case from the Overview tab




Figure 10-74: Revoking access to the case from the Overview tab

- ① A user with the Supervisor role selects “**Revoke access**” button.



Figure 10-75: Revoking access to the case from the Overview tab: Notification

- ② Then the JUDEX RI displays a pop-up window to confirm this operation.




Figure 10-76: Revoking access to the case from the Overview tab: Assigned users section

③ After the user is successfully removed from the case, they also disappear from the list in the **ASSIGNED USERS** section.

10.17 Translate

Chapter to be updated at a later stage [WIP].

11 JUDEX Portal Support

For usage issues with the JUDEX RI please contact the DG Justice and Consumers Support Team.

The Support Team should be contacted by email:

JUST-E-EVIDENCE-SUPPORT-TEAM@ec.europa.eu

Please include all relevant information such as your contact details, problem description, type and version number of your internet browser, received error messages, screenshots and any other relevant information.

The Support Team looks forward to receiving further feedback from the Member States so that the Development Team can make additional enhancements to make the JUDEX further suited to your needs.